

Meccano MAX – command sequences.

1. Starting the Motors

... Starting ...

FF FE FE FE FE FE A1 - ~~

FF FE FE FE FE FE A1 - ~~

FF FE FE FE FE FE A2 - ~~

FF FE FE FE FE FE A3 - ~~

FF FE FE FE FE FE A0 - fe

Module 0 replies with 0xfe

FF FE FE FE FE FE A1 - ~~

FF FE FE FE FE FE A2 - ~~

FF FE FE FE FE FE A3 - ~~

FF FE FE FE FE FE A0 - fe

Module 0 repeats reply

FF FC FE FE FE 81 - ~~

Query to module 0 for type code

FF FC FE FE FE 82 - ~~

FF FC FE FE FE 83 - ~~

FF FC FE FE FE 80 - 05

Module 0 replies with type code 5

FF FC FE FE FE 81 - fe

Module 1 replies with 0xfe

FF FC FE FE FE 82 - ~~

FF FC FE FE FE 83 - ~~

FF FC FE FE FE 80 - 05

Query to Module 1 for type – immediate reply of 5

FF FC FC FE FE 61 - 05

FF FC FC FE FE 62 - ~~

FF FC FC FE FE 63 - ~~

FF FC FC FE FE 60 - 05

FF 00 FC FE FE 91 - 05

FF 00 FC FE FE 92 - ~~

FF 00 FC FE FE 93 - ~~

FF 00 FC FE FE 90 - 02

FF 00 00 FE FE C1 - 00

FF 00 00 FE FE C2 - ~~

FF 00 00 FE FE C3 - ~~

FF 00 00 FE FE C0 - 02

FF 00 00 FE FE C1 - 00

FF 00 00 FE FE C2 - ~~

FF 00 00 FE FE C3 - ~~

FF 00 00 FE FE C0 - 02

FF 00 00 FE FE C1 - 00

2. Starting the Ultrasonic Sensor

... Starting ...

FF FE FE FE FE A1 - ~~

FF FE FE FE FE A1 - ~~

```

FF FE FE FE FE A2 - ~~
FF FE FE FE FE A3 - ~~
FF FE FE FE FE A0 - fe          Module 0 replies with 0xfe
FF FE FE FE FE A1 - ~~
FF FE FE FE FE A2 - ~~
FF FE FE FE FE A3 - ~~
FF FE FE FE FE A0 - fe
FF FC FE FE FE 81 - ~~          Query to module 0 for type code
FF FC FE FE FE 82 - ~~
FF FC FE FE FE 83 - ~~
FF FC FE FE FE 80 - 04          Module 0 replies with type code 4
FF FC FE FE FE 81 - ~~
FF FC FE FE FE 82 - ~~
FF FC FE FE FE 83 - ~~
FF FC FE FE FE 80 - 04          Module 0 repeats reply
FF FC FE FE FE 81 - ~~
FF FC FE FE FE 82 - ~~
FF FC FE FE FE 83 - ~~

```

3. Starting the LED Array

```

... Starting ...
FF FE FE FE FE A1 - ~~
FF FE FE FE FE A1 - ~~
FF FE FE FE FE A2 - ~~
FF FE FE FE FE A3 - ~~
FF FE FE FE FE A0 - fe          Module 0 replies with 0xfe
FF FE FE FE FE A1 - ~~
FF FE FE FE FE A2 - ~~
FF FE FE FE FE A3 - ~~
FF FE FE FE FE A0 - fe          Module 0 repeats reply
FF FC FE FE FE 81 - ~~
FF FC FE FE FE 82 - ~~
FF FC FE FE FE 83 - ~~
FF FC FE FE FE 80 - 06          Module 0 replies with type code 6
FF FC FE FE FE 81 - ~~
FF FC FE FE FE 82 - ~~
FF FC FE FE FE 83 - ~~
FF FC FE FE FE 80 - 06          Module 0 repeats reply
FF FC FE FE FE 81 - ~~
FF FC FE FE FE 82 - ~~
FF FC FE FE FE 83 - ~~
FF 00 FF 00 FF 00 - ~~
< 80 00 00 FF 00 00 - ~~
00 00 00 00 FF 00 - ~~
00 FF 00 FF FF FF - 00 >

```

Commands to the array from this point use a PWM format similar to that used for the

response from module to Meccabrain. Pulse period is 430 us, with a high pulse width >200 us for LOW (LED off) and < 200 us for HIGH (LED on). There is a short start bit and some sort of check-sum. Data bits are sent starting from the bottom left corner of the array (as viewed from the front) and moving up, then right. My sniffer looks for a HIGH > 12 ms, then tries to read the information as a serial string, hence the results above.

4. Starting servos

```
... Starting ...
FF FE FE FE FE FE A1 - ~~
FF FE FE FE FE FE A1 - ~~
FF FE FE FE FE FE A2 - ~~
FF FE FE FE FE FE A3 - ~~
FF FE FE FE FE FE A0 - fe          Module 0 replies with 0xfe
FF FE FE FE FE FE A1 - ~~
FF FE FE FE FE FE A2 - ~~
FF FE FE FE FE FE A3 - ~~
FF FC FE FE FE 81 - ~~          Query to module 0 for type code
FF FC FE FE FE 82 - ~~
FF FC FE FE FE 83 - ~~
FF FC FE FE FE 80 - 01          Module 0 replies with type code 1
FF FC FE FE FE 81 - fe          Module 1 replies with 0xfe
FF FC FE FE FE 82 - ~~
FF FC FE FE FE 83 - ~~
FF FC FE FE FE 80 - 01
FF FC FC FE FE 61 - 01          Module 1 replies with type code 6
FF FC FC FE FE 62 - ~~
FF FC FC FE FE 63 - ~~
FF FC FC FE FE 60 - 01
FF FA FC FE FE 41 - 01          Data value 0xFA transmitted to Module 0
FF FA FC FE FE 42 - ~~
FF FA FC FE FE 43 - ~~
FF FA FC FE FE 40 - 7d
FF FA FA FE FE 21 - 7c          Data value 0xFA transmitted to Module 1
FF F4 F4 FE FE 52 - ~~          Data value 0xF4 transmitted to Modules 0 & 1
FF F4 F4 FE FE 53 - ~~
FF 7D 7C FE FE 60 - 7c          Data value 0x7D transmitted to Modules 0 and 0x7C to
Module 1
FF F9 F9 FE FE 01 - 7c
FF 08 08 FE FE E2 - ~~
FF 7D 7C FE FE 63 - ~~
FF 7C 7C FE FE 50 - 7c
FF 7C 7C FE FE 51 - 7c
FF 7C 7C FE FE 52 - ~~
FF 7D 7D FE FE 73 - ~~
FF 7D 7D FE FE 70 - 7c
FF 7D 7D FE FE 71 - 7c
```

FF 7D 7D FE FE 72 - ~~
FF 7E 7E FE FE 93 - ~~
FF 7E 7E FE FE 90 - 7c
FF 7E 7E FE FE 91 - 7c

5. Starting with motors and ultrasonic sensor in a single channel

... Starting ...
FF FE FE FE FE FE A1 - ~~
FF FE FE FE FE FE A1 - ~~
FF FE FE FE FE FE A2 - ~~
FF FE FE FE FE FE A3 - ~~
FF FE FE FE FE FE A0 - fe Module 0 replies with 0xfe
FF FE FE FE FE FE A1 - ~~
FF FE FE FE FE FE A2 - ~~
FF FE FE FE FE FE A3 - ~~
FF FE FE FE FE FE A0 - fe Module 0 repeats reply
FF FC FE FE FE 81 - ~~ Query for type of Module 0
FF FC FE FE FE 82 - ~~
FF FC FE FE FE 83 - ~~
FF FC FE FE FE 80 - 05 Module 0 replies with type code 5
FF FC FE FE FE 81 - fe Module 1 replies with 0xfe
FF FC FE FE FE 82 - ~~
FF FC FE FE FE 83 - ~~
FF FC FE FE FE 80 - 05
FF FC FC FE FE 61 - 05 Query for type code of Module 1. Module 1 replies with 5.
FF FC FC FE FE 62 - fe Module 2 replies with 0xfe
FF FC FC FE FE 63 - ~~
FF FC FC FE FE 60 - 05
FF 00 FC FC FE 71 - 05
FF 00 FC FC FE 72 - 04 Module 2 replies with type code 4
FF 00 FC FC FE 73 - ~~
FF 00 FC FC FE 70 - 4f
FF 00 00 FC FE A1 - 00
00 00 FC FE A2 40 - ~~
FF 00 00 FC FE A0 - 4f
FF 00 00 00 FE D1 - 00
FF 00 00 00 FE D2 - 04
FF 00 00 00 FE D3 - ~~
FF 00 00 00 FE D0 - 4f
FF 00 00 00 FE D1 - 00
FF 00 00 00 FE D2 - 04
FF 00 00 00 FE D3 - ~~
FF 00 00 00 FE D0 - 4f
FF 00 00 00 FE D1 - 00
FF 00 00 00 FE D2 - 04
FF 00 00 00 FE D3 - ~~